

11/26/97
Jc532 U.S. P.O.
1855-1930
W.K. Richardson
1859-1951

FISH & RICHARDSON P.C.

2200 Sand Hill Road
Suite 100
Menlo Park, California
94025

Telephone
415 322-5070

Facsimile
415 854-0875

November 26, 1997

Attorney Docket No.: 07844/199001

Box Patent Application
Assistant Commissioner for Patents
Washington, DC 20231

Presented for filing is a new original patent application of:

Applicant: IVAN MARKOVIC AND IVOR DURHAM
Title: METHOD AND APPARATUS TO DISPLAY THE
APPEARANCE OF A DOCUMENT

Enclosed are the following papers, including all those required for a filing date under
37 CFR §1.53(b):

Pages of Specification	11
Pages of Claims	4
Pages of Abstract	1
Pages of Declaration	1
Sheets of Drawing	9

Basic filing fee	\$ 790.00
Total claims in excess of 20 times \$22.00	154.00
Independent claims in excess of 3 times \$82.00	82.00
Multiple dependent claims	0.00
Total filing fee:	\$ 1026.00

A check for the filing fee is enclosed. Please charge any other required fees, or apply

"EXPRESS MAIL" Mailing Label Number EM202541605US

Date of Deposit 11-26-97

I hereby certify under 37 CFR 1.10 that this correspondence is being
deposited with the United States Postal Service as "Express Mail Post
Office To Addressee" with sufficient postage on the date indicated
above and is addressed to the Assistant Commissioner for Patents,
Washington, D.C. 20231.

Dele F. Ortiz

VICTORIA ORTIZ

FISH & RICHARDSON P.C.

BOX PATENT APPLICATION

November 26, 1997

Page 2

A check for the filing fee is enclosed. Please charge any other required fees, or apply any credits, to Deposit Account No. 06-1050, referencing the Attorney Docket number shown above.

Please address all correspondence to:

Roger S. Borovoy
Fish & Richardson, P.C.
2200 Sand Hill Road, Suite 100
Menlo Park, California 94025

If this application is found to be INCOMPLETE, or if it appears that a telephone conference would helpfully advance prosecution, please telephone the undersigned at 415/322-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Respectfully submitted,



David J. Goren
Reg. No. 34,609

Enclosures

81119.PAL

APPLICATION
FOR
UNITED STATES LETTERS PATENT

TITLE: METHOD AND APPARATUS TO DISPLAY THE APPEARANCE
OF A DOCUMENT

APPLICANT: IVAN MARKOVIC AND IVOR DURHAM

"EXPRESS MAIL" Mailing Label Number EM20254160505
Date of Deposit 11-26-97

I hereby certify under 37 CFR 1.10 that this correspondence is being
deposited with the United States Postal Service as "Express Mail Post
Office To Addressee" with sufficient postage on the date indicated
above and is addressed to the Assistant Commissioner for Patents,
Washington, D.C. 20231.

Debra M. Ortiz
VICTORIA ORTIZ

METHOD AND APPARATUS TO DISPLAY THE APPEARANCE OF A DOCUMENT

Background

5 The present invention relates generally to the creation and display of electronic documents, and more particularly to the creation and display of electronic documents that accurately depict hard copy documents.

10 Electronic documents are stored on computer-readable media (e.g., computer memory or disks) and typically contain content (e.g., text, graphics and image data) and formatting information (e.g., page size and margins). Electronic documents can be stored, retrieved, displayed, and exchanged by computer users. Electronic documents are created by authors and publishers who may desire that the documents be viewed with a particular appearance. The Acrobat™ family of products from Adobe Systems Incorporated, of San Jose, California, enables authors and publishers to create, modify, exchange, and view electronic documents in a platform-independent manner. Acrobat™ makes use of a document description language (DDL) called Portable Document Format™ (PDF) which describes a document in a manner independent of the application software, hardware, and operating system used to create it. A PDF document has one or more pages, each containing any combination of text, graphics, and images in a device and resolution-independent format.

15 Although electronic documents have advantages, including their ease of transmission, compact storage, and ability to be edited, hard copy documents, such as paper documents, continue to be used. In fact, many electronic documents are used only for the eventual production of hard copy documents. Although current desktop publishing programs provide users with the ability to create and modify the content of electronic documents easily, the final form of assembled hard copy documents, for example, as provided by a document assembler (e.g., a printing or copier shop), will often vary from the intended appearance.

Summary

20 In one aspect, the invention is directed to a method of depicting a hard copy document. A first electronic document is received in a computer. A user input that selects an instruction for assembling a hard copy document is also received in a computer. A visual appearance of the

first electronic document once printed and assembled in accordance with the instruction is determined in the computer, and the determined visual appearance is produced as output.

In another aspect, the invention is also directed to a computer program, tangibly stored on a computer-readable medium, comprising instructions for causing the computer to carry out this method.

Implementations may include the following. A second electronic document may be generated which depicts the first electronic document once printed and assembled in accordance with the instruction, and the second electronic document may be displayed. A second user input may be received that selects a second instruction for assembling the hard copy document, and a modified second electronic document may be generated which depicts the first electronic document once printed and assembled in accordance with the first and second instructions. A copy of the first electronic document may be modified, e.g., by adding a tile depicting a change in the visual appearance resulting from the instruction to a page of the first electronic document, to generate the second electronic document. The tile may be retrieved from a database which associates a plurality of instruction identifiers with a plurality of tiles. The database may include an entry for each instruction identifier, each entry including an instruction name and a first tile associated with a front page of the hard copy document, a second tile associated with an inside right page of the hard copy document, a third tile associated with an inside left page of the hard copy document, and a fourth tile associated with a final page of the hard copy document. Retrieving the tile may include determining whether the page of the first electronic document is a first page, an inside right page, an inside left page, or a final page, and selecting the tile based on this determination. Modifying the copy of the first electronic document may include inserting a page into the first electronic document, and adding a tile depicting a change in the visual appearance resulting from the instruction to the inserted page of the first electronic document, and retrieving the tile may include determining whether the cover sheet is a first page or a final page, and selecting the tile based on this determination. The user input may be received from an electronic file through an interactive user interface. Receiving the user input may include displaying a plurality of instruction identifiers in a document assembly form on a display, and receiving a user input selecting one of the instruction identifiers. The instruction may identify a printing media to be used in the hard copy document, such as the weight, color, texture, or

transparency of the printing media, a preexisting image on the printing media, a cover to be used in the hard copy document, a binding to be used in the hard copy document, such as a velo tape, spiral, multi-ring, comb, magazine style, or stapling binding, or a physical modification of a printing media used in the hard copy document, such hole punching, folding or cutting of the printing media.

In another aspect, the invention is directed to a method of displaying a finished form of a hard copy document. An electronic document is received and stored in a computer. A user input that selects an instruction for assembling a hard copy document corresponding to the electronic document is received in the computer. A second electronic document which depicts the visual appearance of the first electronic document once printed and assembled in accordance with the instruction is generated, and the second electronic document is displayed.

In another aspect, the invention is directed to a computer-assisted method of creating a hard copy document. An electronic document and user input that selects an instruction for assembling a hard copy document are received. A visual appearance of the electronic document once printed and assembled in accordance with the instruction is depicted, and the electronic document and the user input are provided to a document assembler.

Implementations may include the following. The document assembler may print the electronic document to create the hard copy document, and assemble the hard copy document in accordance with the instructions corresponding to the user input. A second electronic document may be generated which depicts the visual appearance of the hard copy document assembled in accordance with the instruction.

The advantages of the invention may include the following. The visual appearance of an assembled hard copy document may be accurately depicted by an electronic document. The user can experiment to determine the most aesthetically pleasing visual appearance of the assembled hard copy document, and can avoid the high cost of printing that would otherwise be associated with assembling the hard copy document. In addition, the reliability of the production process is improved because both the user and the document assembler have access to both a written and visual description of the document assembly parameters.

Other advantages will become apparent from the following description, including the drawings and the claims.

Brief Description of the Drawings

FIG. 1 is a flow diagram illustrating a method performed by a user for creating and viewing an augmented electronic document.

FIG. 2A is an illustration of the step from FIG. 1 of creating an electronic document.

FIG. 2B is an illustration of the step from FIG. 1 of converting an electronic document to PDF format.

FIG. 2C is an illustration of the step from FIG. 1 of selecting document assembly parameters.

FIGS. 2D-2F are illustrations of the step from FIG. 1 of displaying an augmented electronic document.

FIG. 3 is a schematic illustration of a computer system that may be used to perform the methods of FIGS. 1 and 5.

FIG. 4 is a schematic block diagram of a virtual document assembly program that may be used to perform the methods of FIGS. 1 and 5.

FIG. 5 is a flow diagram illustrating a method performed by a computer system for creating and displaying an augmented electronic document.

FIG. 6 is a flow diagram illustrating the step from FIG. 5 of modifying an augmented electronic document.

Detailed Description

The present invention provides a method for an author or publisher to create and view an “augmented electronic document”, i.e., an electronic document that accurately depicts an assembled hard copy document. In brief, after creating an original electronic document, the author or publisher uses a virtual document assembly program to select the instructions, e.g., the desired binding, stapling, or hole punching, that would be given to a document assembler. As the instructions are selected, the virtual document assembly program adds instructions to the electronic document so that, when it is rendered, indicia of the assembly are seen. Thus, the virtual document assembly program generates an augmented electronic document that depicts the finished form of the document. That is, the augmented electronic document depicts a hard copy document having the same content as the original electronic document, but assembled according

to the selected instructions. The augmented electronic document may be provided to a document assembler who will print the original electronic document and assemble it according to the instructions. Since both the author or publisher and the document assembler can view the same augmented electronic document, the final form of the assembled paper document should have the appearance intended by the author or publisher. The augmented electronic document may be stored in a device and resolution-independent format, such as PDF.

Referring to FIG. 1, a method 10 for creating and viewing an augmented electronic document begins when a user creates a source document (step 12). For example, the user may create a source document using a word processor, a page layout program, or a desktop publishing program. The source document will contain traditional content, such as text, graphics and image data. In addition, the source document may include formatting information that is traditionally associated with the printing of the document, for example, on a laser printer or ink jet printer. For example, the formatting information may include the page size, margins, page numbering and line numbering. Referring to FIG. 2A, a source document 100 is displayed within a window 102 on a computer screen 104.

Once the source document has been created, the user converts it into a portable document format (PDF) document (step 14 in FIG. 1). For example, the PDF document can be created by using a PDF printer driver to “print” the document as a PDF formatted file to a disk. This process of creating a PDF document from an original document is practiced by the aforementioned Acrobat™ products. The PDF document 106 has the same formatting and appearance as the original source document after it has been printed, but before it has been assembled. Then the user opens the PDF document with a virtual document assembly program (step 16). The virtual document assembly program re-displays the PDF document for viewing by the user. Referring to FIG. 2B, the source document has been converted into a PDF document 106 that is shown within a window 108 on the computer screen 104.

Returning to FIG. 1, the user then uses the virtual document assembly program to select one or more document assembly parameters (step 18). The document assembly parameters correspond to features that the user desires in the assembled hard copy document. For example, the user may select various features associated with aspects of the printing media, such as the weight, color, texture, transparency, shape or orientation of the printing media. In addition, pre-

existing images on the printing media, such as watermarks, borders, engravings or designs, may be selected by the user. The user may select features associated with the front and back cover of the augmented electronic document, such as the material (e.g., paper, plastic, etc.), weight, color, or texture of the front or back cover. The user may insert extra papers or sheets into the document, such as end papers, interleaved blank sheets, and index tabs. The user may also select the binding of the augmented electronic document, such as veloTM binding, tape binding, spiral binding, stapling, multi-ring binder, comb binding, or magazine style binding. For each type of binding, there may be a variety of options, such as the color, pitch and direction of spiral of a spiral binding, or the location of a staple. Finally, the user may select parameters associated with physical modification of the printing media, such as hole punching (including the number and location of drill holes), folding (including the number and direction of folds), and cutting (including the number and direction of cuts).

The user may select the document assembly parameters from a document assembly form displayed by the virtual document assembly program. Referring to FIG. 2C, a document assembly form 112 is displayed in a window 114 on the computer screen 104. The user may select document assembly parameters by clicking or typing in controls 110 on the document assembly form 112, such as check boxes, text boxes, combo boxes and radio buttons. In addition, the user may make selections from a pull-down menu 116.

Once the document assembly parameters have been selected, the user views the augmented electronic document (step 20 in FIG. 1). The appearance of the augmented electronic document will be based on the previously selected document assembly parameters, such as the paper color, paper thickness, binding type, front and back cover material. For example, referring to FIG. 2D, the user may view a cover sheet 122 of an augmented electronic document 120.

Assuming that the user selects stapling and three-hole punching, a graphic 124 illustrating a staple is positioned where the staple will be place, for example, in an upper left-hand corner of the cover sheet 122, and graphics 126 illustrating punch marks are positioned along the left side of the cover sheet 122. In addition, graphics 128 illustrating the thickness of the assembled document are added to the lower and right-hand sides of the cover sheet 122. The illustrated thickness is based on the number of pages in the PDF document (plus any inserted pages). Referring to FIG. 2E, the user may also view two interior pages 130 and 132 of the augmented

electronic document 120. The interior pages 130 and 132 include graphics 126 to illustrate the three-hole punch marks, graphics 134 creating obscured regions where the staple would secure the pages, and text 136. By visually inspecting the appearance of the augmented electronic document 120, the user may be able to note errors or unaesthetic elements that would be present in the assembled hard copy document. For example, the user may note that the punch marks will obscure a portion of the text, and therefore either the margins of the text will need to be changed or the three-hole punching will need to be eliminated. Finally, referring to FIG. 2F, the user may view the back cover 140. The back cover 140 includes graphics 142 illustrating the prongs of the staple, and graphics 126 illustrating punch marks along the left edge of the back cover 140.

Returning to FIG. 1, after viewing the assembled document, the user may add, delete, or change the document assembly parameters (step 22) and then view the modified augmented electronic document (returning to step 20). Thus, the user may experiment and inspect the appearance of the augmented electronic document with different sorts of bindings, paper weights, etc., without the associated printing costs. Finally, when the augmented electronic document has the desired appearance, the user may save the original electronic document with an associated file or addendum containing the document assembly parameters (step 24). In addition, the user may save the augmented electronic document as a separate PDF file. Since the augmented electronic document is a conventional PDF file, it may be displayed with a conventional PDF document viewer.

The user may provide the original electronic document with the associated document assembly parameters to the document assembler who will use the document parameters. The document assembler prints the original electronic document, and extracts the document assembly parameters from the associated file or addendum. The document assembly parameters are then used as instructions for assembling the hard copy document. In addition, the document assembler may use the virtual document assembly program to create a new augmented electronic document. However, since the two augmented electronic documents are created with the same document assembly parameters, they will have the same visual appearance. The document assembler may compare the augmented electronic document to the assembled hard copy document to proofread for mistakes. Since both the user and the document assembler view the same augmented electronic document, the user is assured that the assembled paper document

will have the intended visual appearance.

Referring to FIG. 3, a computer system 30 for running a virtual document assembly program 32 includes a general purpose programmable digital computer 34 (such as a personal computer or work station), a mass storage device 36 (such as a hard disk drive), a keyboard 38, a pointer device 46 (such as a mouse), and a display 40 with a screen 104 for displaying the augmented electronic document. The computer 34 is of conventional construction, and includes a memory and a processor (not shown). Computer system 30 may also include communications hardware and software (not shown) by which the computer system may be connected to another computer 44 by an intranetwork or internetwork link 42.

The virtual document assembly program 32 creates and displays the augmented electronic document 120. Referring to FIG. 4, the virtual document assembly program 32 includes a user interface 50, a rendering procedure 52, and a PDF file editor 56. The PDF file editor is used to add instructions to the pages of the PDF document to generate the augmented electronic document, whereas the rendering procedure is used to display the augmented electronic document on the computer screen. The program 32 may be centralized on a single computer, or it may be distributed across a computer network. The program 32 may also include or be associated with a database 54 containing permissible document assembly parameters and associated instructions for the rendering procedure 52. The database includes two types of permissible document assembly parameters: those parameters that require a specialized function of the rendering procedure 52 (such as cutting and folding), and those parameters that can be illustrated by overlaying (or "tiling") one or more images on the page (most other parameters). For the parameters that can be illustrated by tiling, each entry 60 in the database 54 includes a parameter name 62, a set of tiling instructions 64, image files 66 to be used in the tiling, and an optional icon 68 for use in displaying a list of the parameters. For the parameters that require a specialized function of the reading program, the entry 60 may include only the parameter name. The parameter names 62 may be organized into classes (e.g., bindings, cover sheets, paper color, etc.) that will be used by the use interface in displaying the document assembly form.

Referring to FIGS. 4 and 5, a method 70 performed by the virtual document assembly program begins by opening the PDF document that was selected by the user (step 72). When the user decides to assemble the electronic document, the program 32 generates a list of

document assembly parameters (step 74) and displays the list (step 76) in the document assembly form. In order to generate the list of document assembly parameters, the user interface 50 searches and lists the parameter name 62 for each entry 60 from the database 54. The user interface 50 may use the classes of the parameters names 61 in order to determine how to format the document assembly form, or otherwise improve the visual display. Once the program 32 receives user input selecting various document assembly parameters (step 78), the PDF file editor 56 modifies a copy of the original PDF document to generate the augmented electronic document 120 (step 80). Specifically, the PDF file editor adds the necessary graphic elements to provide the visual appearance of a paper document assembled according to the document assembly parameters. The original PDF document is saved for transmission to the document assembler. For example, the PDF document may be loaded into memory, modified by the PDF file editor, and the modified document in memory may be saved as a separate file.

In brief, returning to FIG. 4, the PDF file editor 56 uses the tiling instructions 64 associated with the selected parameter name 62 from the database 54 to append instructions to each page of PDF document 106. There are four entries in each set of tiling instructions 64; one for the front cover, one for the inside left pages, one for the inside right pages, and one for the back cover. Each tiling instruction includes the size of the tile, the number and spacing of the tiles, and the position of the tiles on the page. Image file 66 contains the tile images. These instructions may be expressed in the conventional PDF format.

As an example, referring to FIGS. 2D-2F, for a document assembly parameter corresponding to a staple, the tiling instructions 64 would include the following entries: for the first page, overlay a short diagonal segment in the upper left-hand corner of the page; for the inside-left pages, overlay a triangular shaded area in the upper right hand corner of the page; for the inside-left pages, overlay a triangular shaded area in the upper right hand corner of the page; and for the last page, overlay two short diagonal segments in the upper right-hand corner of the page.

Referring to FIG. 6, modifying the PDF document (step 80 in FIG. 5) will be explained in greater detail. The PDF file editor begins by adding a front cover to the document (step 90). The front cover is formed as a blank page to which the cover sheet parameters and the first-page tiling instructions are applied. If there is no front cover, then the first-page tiling instructions are

applied to the first page of the document. Then the PDF file editor determines (e.g., from the source document) whether the document is double-sided (step 92). If the document is double sided, the tiling instructions for the inside right page are applied to each odd page (step 94a), and the tiling instructions for the inside left pages are applied to each even page (step 96a). On the other hand, if the document is to be single-sided, the PDF file editor applies the inside right page tiling instructions to the pages from the PDF document (step 96b). In addition, the PDF file editor interleaves blank pages with the original pages and applies the tiling instructions for the inside left page to the blank pages (step 96a). Once the inside pages have been modified, the PDF file editor may add a back cover page to which the back cover tiling instructions are applied (step 98). Of course, the ordering of the steps discussed above is exemplary. For example, tiles could be applied to the inside pages after the back cover page is added.

In order to determine which tiling instruction takes precedence when modifying the PDF document, the PDF file editor divides the document into five layers: organizational information (e.g., side by side display, folding, double-sided), background (e.g., the color, texture, watermarks of the printed media), printed content (e.g., text, graphics and images from the source document), virtual proof annotations (e.g., cut marks), and finishing options (e.g., drilling, bindings). Tiling effects are given precedence so that the last layer in the above list, i.e., finishing options, is the last applied. This order of precedence may be captured as part of the tiling instructions. The organizational information is appended to the PDF document to be used by the rendering procedure.

The effects that cannot be achieved by tiling (such as cutting and folding) have dedicated procedures in the PDF file editor 54. For example, to generate a cut, the PDF file editor 54 retrieves the location and direction of the cut from the document assembly parameters. For each page that has been cut, the PDF file editor 54 generates two sub-pages corresponding to the portions of the original page on the two sides of the cut. The page of the augmented electronic document is resized, and the sub-pages are pasted onto the resized page so that they are separated by a gap. To generate a folded page, the PDF file editor 54 retrieves the location, direction and angle of fold from the selected document assemble parameter. Then the PDF file editor 54 divides the folded page into sub-pages corresponding to the flaps of the fold. The PDF file editor 54 skews each sub-page to simulate the angle of fold, and then overlays the skewed

sub-pages in the proper order to generate a new image. The page of the augmented electronic document is resized, if necessary, and the new image is pasted onto the resized page.

Returning to FIGS. 4 and 5, once the PDF document has been modified, the rendering procedure 52 in the virtual document assembly program 32 renders and displays the augmented electronic document (step 82). Because the augmented electronic document 120 is a conventional PDF file, the techniques of a conventional PDF document viewer, such as Adobe Acrobat™, may be used to display the pages from the assembled document.

Once the augmented electronic document is displayed, if the user decides to add, delete or change the document assembly parameters (step 84), the virtual document assembly program 32 redisplay the list of document assembly parameters (returning to step 76). Otherwise, the program 32 saves the electronic document with the selected document assembly parameters, or the augmented electronic document 120 itself, in mass storage (step 86).

What is claimed is:

1. A method of depicting a hard copy document, comprising:
receiving in a computer a first electronic document;
receiving in the computer a user input that selects an instruction for assembling a hard
5 copy document;
determining in the computer a visual appearance of the first electronic document once
printed and assembled in accordance with the instruction; and
producing as output the determined visual appearance.
- 10 2. The method of claim 1, further comprising:
generating a second electronic document which depicts the first electronic document
once printed and assembled in accordance with the instruction; and
displaying the second electronic document.
- 15 3. The method of claim 2, further comprising receiving a second user input that selects a
second instruction for assembling the hard copy document, and generating a modified second
electronic document which depicts the first electronic document once printed and assembled in
accordance with the first and second instructions.
- 20 4. The method of claim 2, further comprising:
modifying a copy of the first electronic document to generate the second electronic
document.
- 25 5. The method of claim 4, wherein modifying the copy of the first electronic document
includes adding a tile depicting a change in the visual appearance resulting from the instruction
to a page of the first electronic document.
6. The method of claim 5, further comprising retrieving the tile from a database which
associates a plurality of instruction identifiers with a plurality of tiles.
- 30 7. The method of claim 6, wherein the database includes an entry for each instruction

identifier, each entry including a instruction name and at least one tile.

8. The method of claim 7, wherein each entry includes a first tile associated with a front
5 page of the hard copy document, a second tile associated with an inside right page of the hard
copy document, a third tile associated with an inside left page of the hard copy document, and a
fourth tile associated with a final page of the hard copy document.

9. The method of claim 8, wherein retrieving the tile includes determining whether the page
10 of the first electronic document is a first page, an inside right page, an inside left page, or a final
page, and selecting the tile based on this determination.

10. The method of claim 8, wherein modifying the copy of the first electronic document
includes inserting a page into the first electronic document, and adding a tile depicting a change
15 in the visual appearance resulting from the instruction to the inserted page of the first electronic
document.

11. The method of claim 10, wherein the inserted page is a cover sheet, and wherein
retrieving the tile includes determining whether the cover sheet is a first page or a final page, and
20 selecting the tile based on this determination.

12. The method of claim 1, wherein the user input is received from an electronic file.

13. The method of claim 1, wherein the instruction identifies a printing media to be used in
25 the hard copy document.

14. The method of claim 13, wherein the instruction identifies the weight, color, texture, or
transparency of the printing media.

15. The method of claim 13, wherein the instruction identifies a pre-existing image on the
30 printing media.

16. The method of claim 1, wherein the instruction identifies a cover to be used in the hard copy document.

17. The method of claim 1, wherein the instruction identifies a binding to be used in the hard copy document.

18. The method of claim 17, wherein the instruction identifies a veloTM, tape, spiral, multi-ring, comb, magazine style, or stapling binding.

19. The method of claim 1, wherein the instruction identifies a physical modification of a printing media used in the hard copy document.

20. The method of claim 19, wherein the instruction identifies hole punching, folding or cutting of the printing media.

21. The method of claim 1, wherein the user input is received through an interactive user interface.

22. The method of claim 21, wherein receiving the user input includes displaying a plurality of instruction identifiers in a document assembly form on a display, and receiving a user input selecting one of the instruction identifiers.

23. A method of displaying a finished form of a hard copy document, comprising:
receiving and storing an electronic document in a computer;
receiving in the computer a user input that selects an instruction for assembling a hard copy document corresponding to the electronic document;
generating a second electronic document which depicts the visual appearance of the first electronic document once printed and assembled in accordance with the instruction; and
displaying the second electronic document.

24. A computer-assisted method of creating a hard copy document, comprising:
receiving an electronic document;
receiving user input that selects an instruction for assembling a hard copy document;
5 depicting a visual appearance of the electronic document once printed and assembled in
accordance with the instruction; and
providing the electronic document and the user input to a document assembler.

25. The method of claim 24, wherein the document assembler prints the electronic document
10 to create the hard copy document, and assembles the hard copy document in accordance with the
instructions corresponding to the user input.

26. The method of claim 24, further comprising creating a second electronic document which
15 depicts the visual appearance of the hard copy document assembled in accordance with the
instruction.

27. A computer program, tangibly stored on a computer-readable medium, comprising
instructions for causing a computer to:
receive a first electronic document;
receiving a user input that selects an instruction for assembling a hard copy document;
20 determining in the computer the visual appearance of the first electronic document once
printed and assembled in accordance with the instruction; and
producing as output the determined visual appearance.

Abstract

A method of depicting a hard copy document, in which a user generates an electronic document and then selects an instruction for assembling a hard copy document. The visual appearance of the electronic document once printed and assembled in accordance with the instruction is determined in the computer, and this visual appearance is produced as output. For example, the visual appearance of the electronic document may depict a printing media used in the hard copy document, such as the weight, color, texture, or transparency of the printing media, a preexisting image on the printing media, a cover to be used in the hard copy document, a binding to be used in the hard copy document, such as a velo tape, spiral, multi-ring, comb, magazine style, or stapling binding, or a physical modification of a printing media used in the hard copy document, such hole punching, folding or cutting.

78423.PAL

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND APPARATUS TO DISPLAY THE APPEARANCE OF A DOCUMENT

the specification of which:

☒ is attached hereto.

☐ was filed on _____, and identified as Attorney Docket No. _____.

☐ was filed on _____, as Application Serial No. _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, code of Federal Regulations, Section 1.56(a).

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Roger S. Borovoy, Reg. No. 20,193; Hans R. Troesch, Reg. No. 36,950; John F. Land, Reg. No. 29,554;
David J. Goren, Reg. No. 34,609; Mark D. Kirkland, Reg. No. 40,048; John D. Cowart, Reg. No.
38,415; John C. Phillips, Reg. No. 35,322

Address all telephone calls to David J. Goren at telephone number 650/322-5070.

Address all correspondence to Roger S. Borovoy, Fish & Richardson P.C., 2200 Sand Hill Road, Suite 100, Menlo Park, CA 94025.

☒ For Assigned Inventions: I understand that the purpose of making this appointment is to permit prosecution of patent applications for the above-identified invention for the benefit of my assignee, and that this appointment does not create an attorney-client relationship between me and these appointees.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of inventor: Ivan Markovic

Inventor's signature _____

Date: _____

Residence: 1018 Woodfalls Court, San Jose, CA 95116
Citizen of: U.K.
Post Office Address:

Full name of inventor: Ivor Durham

Inventor's signature _____

Date: _____

Residence: 38 Del Monte Avenue, Los Altos, CA 94022-1202
Citizen of: U.K.
Post Office Address:




FIG. 1




FIG. 5




FIG.2A




FIG.2 B

FIG. 2C




FIG.2C




FIG.2D




FIG.2 E




FIG.2F




FIG. 3




FIG. 4




FIG. 6